

Wi-Fi 6 Interactive Display Adapter


The product connects to the display as a wireless interactive display adapter. It can wirelessly mirror & extend content from your computer to the display. This adapter features Full HD support and uses the IEEE 802.11ax standard for higher data speeds. In addition to presenting a PC display on a remote monitor using wireless transmission, it also enables bidirectional data transfer with input devices such as touch panel or USB device for remote control of the connected devices.



Features

- ◆ Powered by the new IEEE 802.11 ax Wi-Fi standard to enable higher efficiency and throughput
- ◆ Reduces wireless display latency to < 10ms for time-critical and interactive multimedia applications
- ◆ Wirelessly mirrors or extends a compatible computer's content
- ◆ Allows wireless interaction with a computer via the display's touch screen with multi-touch gestures
- ◆ Bidirectional communication with various USB devices, such as mouse and keyboard, for remote control; external USB webcam is also supported
- ◆ Supports resolutions up to 1080p@60Hz Full HD

Connection Setup



STEP 1

Connect the Wi-Fi 6 Interactive Display Adapter to the monitor via HDMI and plug in the power cord for power.


STEP 2

Install the driver on your device.


Download Here

<https://reurl.cc/9roRxj>

Supported Network Architecture



Peer-to-peer Network Mode



Infrastructure Mode

Specifications

Networking	
Standard	IEEE 802.11ax ; IEEE 802.11ac
RF Frequency	5GHz
Data Rate	Up to 1.2Gbps
Conducted Power	15dBm@MCS1 6.5dBm@MCS11
Frequency Band	5GHz U-NII-1 36, 40(default), 44, 48 5GHz U-NII-3 149, 153, 157, 161
TX / RX Streams	2x2
Interface	1 x USB 2.0 Host & 1 x HDMI 1.4 output
Power Consumption	5W
Power Supply	DC input 12V1A@12W
Certifications	FCC, TELEC
Supported Operating System	Windows 10 (or later)
Environmental	
Operating Temperature	-10 - 50C (±5%)
Storage Temperature	-20 - 60C (±5%)
Humidity	Operating Mode: 0%~85%, non-condensing Storage Mode: 0%~90%, non-condensing
Physical Properties	
Weight	130g
Dimensions (L x W x H)	122 x 70 x 26 mm (without antennas)

NOTE: Products and specifications subject to change. All images shown are for illustration purposes only and may not be an exact representation of the product. Millitronic reserves the right to change product images and specifications at any time without notice.



Millitronic Co.,Ltd

7F-6., No. 237, Sec. 1, Datong Rd., Xizhi Dist.,
New Taipei City 221, Taiwan

Email: service@millitronic.com.tw
Customer Service Phone :+886(2)2648-6697



www.millitronic.com.tw